

STANDARD EQUIPMENT BY VERSION	LX	LX PLUS	ENTERPRISE	ENTERPRISE PLUS
TECHNOLOGY AND ENTERTAINMENT				
My Citroen Drive Plus: 10" HD Screen, Wifi Mirroring with Apple Carplay and Anroid Auto, smartphone voice recognition, Bluetooth, 1 USB C-type data. 1 USB C-Type Charge, Radio AM/FM/DAB.		•	•	•
Citroën Connect Navigation. Includes real time traffic updates (requires service subscription - free for 12 months)	-	-	-	•
Smartphone Station with Citroën Connect AM/FM/DAB radio, Bluetooth handsfree system and USB socket	•	-	-	-
2 speakers	•	-	-	-
2 speakers + 2 tweeters (front)		•	•	•
Citroën Connect Box with Emergency & Assistance system	•	•	•	•
COMFORT AND CONVENIENCE				
Air conditioning, manual	•	•	•	-
Dual-zone, automatic air conditioning	-		-	•
Cruise control with programmable speed limiter, Speed Limit Information and Intelligent Speed Assitance (SLI & ISA)	•	•	•	•
Rear parking sensors	•	•	-	-
Rear parking sensors & Reversing camera with monitor on 10" touchscreen			•	
Surround Rear Vision system: - Front & rear parking sensors - Reversing camera (with side and rear camera) - Digital rearview mirror - Blind Spot Detection [BSD]		-	-	•
Standard PU steering wheel with integrated controls for audio, Bluetooth and cruise control	•	•	•	•
Height and reach adjustable steering wheel	•	•	•	•
Electric front windows with one-touch operation	•	•	•	•
Rain sensor, automatic wipers				•
Keyless Access and Start				•
Remote central locking with deadlocking. Selective cab and load area locking via 3-button remote control key.	•	•	•	•
Dashboard mounted central locking push button and auto locking above 10 km/h	•	•	•	•
SEATING				
EXTENSO® modular folding passenger bench seat with pivoting writing table, storage under central seat, load through hatch in bulkhead and load protection cover compliant with ISO27956	•	•	•	•
Drivers seat with 6-way adjustment: Includes seat height & lumbar adjustment	•	•	•	•
Black / Grey Curitiba cloth seat upholstery	•	•	•	•
INTERIOR FEATURES, STORAGE, AND LOAD CA	ARRYING			
Overhead storage shelf in cabin	•	•	•	•
Front door pockets with 1.5I bottle holders	•	•	•	•
Chrome interior door handles and air vents with chrome trim	•	•	•	•
Cup holders for driver and passenger on either side of the dashboard	•	•	•	•
TopBox storage compartment.	•	•	•	•



STANDARD EQUIPMENT BY VERSION	LX	LX PLUS	ENTERPRISE	ENTERPRISE PLUS
Closed upper glovebox, passenger side	•	•	•	•
PU armrest in front door trim	•	•	•	•
Reinforced acoustic pack	-	-	-	•
Sun visor with ticket holder, driver & passenger	•	•	•	•
12 volt socket in dashboard	•	•	•	•
Hard plastic floor protection in cabin	•	•	•	•
Carpet floor in cabin (ë-Berlingo versions only)	•*	•*	•*	•*
Versatile complete bulkhead with clothes hook (part of Extenso Cabin)	•	•	•	•
Cargo area - 6 floor-mounted load securing rings	•	•	•	•
Cargo area - Hard plastic floor protection in load area	•	•	•	•
Cargo area - Light (15W) in loading area	•	•	•	•
SAFETY	AND SECURITY			
Perimetric and volumetric anti-theft alarm with tilt sensor	•	•	•	•
Electric parking brake	•	•	•	•
Advance Emergency Braking [V-AEBS], video assisted	•	•	•	•
Electronic Stablility Control and ABS with Hill Start Assist, EBA	•	•	•	•
DAA3	•	•	•	•
Lane Keep Assist [LKA]	•	•	•	•
Front airbags, Driver & passenger	•	•	•	•
Driver & Passenger Side & Curtain Airbags	•	•	•	•
Automatic activation of hazard warning lights on major deceleration	•	•	•	•
Electric power assisted steering	•	•	•	•
Electronic immobiliser	•	•	•	•
Visible VIN at base of windscreen	•	•	•	•
Lockable fuel cap (diesel versions only)	•	•	•	•
Indirect Tyre pressure monitor (iTPMS)	•	•	•	•
3-point seatbelts x 3, double action driver, simple action passenger	•	•	•	•
Driver / Passenger seatbelt unfastened warning	•	•	•	•
INS	RUMENTS			
10" Digital drivers instrument cluster display	-	•	•	•
Multi-function on-board trip computer	•	•	•	•
Rev counter with maintenance and gear efficiency (GEI) indicators (diesel versions only)	•	•	•	•
e-Toggle Drive Mode selector (ë-Berlingo & Automatic versions only)	•	•	•	•
Door opening warning and audible lights-on warning	•	•	•	•
	AND VISIBILITY			
Height adjustable halogen headlights with integrated daytime running lights (DRLs)	•	•	•	•



STANDARD EQUIPMENT BY VERSION	LX	LX PLUS	ENTERPRISE	ENTERPRISE PLUS
ECO LED Headlamps			-	•
Headlights with High Beam Assist [HBA]	•	•	•	•
Automatic, dusk sensor headlamps	•	•	•	•
Front fog lights		-		•
Electrically adjustable door mirrors	•	•	•	•
Electrically adjustable, heated & electrically folding door mirrors	-	-		•
Flat blade wiper, front with manual system	•	•	•	•
"Welcome" and "Follow me home" function integrated in headlamps	•	•	•	•
High level third brake light	•	•	•	•
Without interior rear view mirror	•	•	•	•
DOORS AND WINDOWS				
Left side sliding door	•	•	•	•
Twin sliding side doors (LWB versions only)	•	•	•	•
Asymmetric (1/3 right - 2/3 left) metal rear doors, opening to 180 degrees with door lock	•	•	•	•
WHEELS, TYRES AND EXTERIOR STYLE				
15 inch steel wheels with black centre cap. 195/65 R15 - 91H Tyres [MWB BlueHDI 100, 650kg versions]	•	•	•	•
16 inch steel wheels with black centre cap. 205/60 R16 96H Tyres [*Standard on all HDI 130 EAT8 plus the Increased payload version and LWB version of HDI 100 6MT]	•*	•*	•*	•*
16 inch steel wheels with black centre cap. 215/65 R16 - 102H Tyres (ë-Berlingo versions)	•*	•*	•*	•*
16 inch Full wheel cover	-	-	-	•
Full size steel spare wheel	•	•	•	•
Exterior door handles, black plastic	•	•	•	•
Exterior door handles, glossy black		*		•
Door mirror housing, glossy black		-	•	•
Door mirror housing, black plastic	•	•	•	•
Body coloured rear bumper	-	-	•	•
Sliding door rail, body-coloured	-	-	-	•
Side rubbing strips, black painted	-	-	-	•
Side rubbing strips, black	•	•	•	•
ELECTRIC VEHICLE SPECIFIC				
Citroen Connect Box with Remote temperature pre-conditioning & deferred charging only via MyCitroën app (requires e-Remote Control service subscription - free of charge for 12-months)	•	•	•	•
Mode 3 charging cable with Type 2 connectors (6 meters) - for accelerated charging from wall boxes and dedicated public charging points	•	•	•	•
11kW 3-phase onboard charger	•	•	•	•
Heat pump	-	-	-	•
Steering wheel paddles for regenerative braking (3 levels)				



STANDARD EQUIPMENT BY VERSION	LX	LX PLUS	ENTERPRISE	ENTERPRISE PLUS
e-Toggle Drive Mode selector	•	•	•	•
AVAS: Acoustic Vehicle Alterting System. Generates a sound when travelling at low speed, audible outside the vehicle for pedestrian safety	•	•	•	•





### TECHNICAL SPECIFICATIONS



Capacity (cc) Cylinders / Valves Max power CEE kW(hp)/rpm Max torque CEE Nm/rpm Sore and stroke (mm) Fuel system Euro status Stop & Start system Fransmission Gearbox Number of gears Performance (All figures driver alone) Max speed (km/h)	MWB (650kg)	MWB (1.0T) 1499 75 (102)/ 3500 250 / 1750  Diesel - Higl  Manual 6-speed	LWB (1.0T)  4 / 16  75 x 84.8 h pressure turbo-charged dire 6.4 Yes	MWB (650kg) 149 96 (130) 300 / ect injection  Autom 8-spe	/ 3750 1750 matic
Capacity (cc) Cylinders / Valves Max power CEE kW(hp)/rpm Max torque CEE Nm/rpm Bore and stroke (mm) Fuel system Euro status Stop & Start system  Transmission Gearbox Number of gears  Performance (All figures driver alone) Max speed (km/h) CO2 Emissions at tailpipe (g/km) - WLTP Combined	141	75 (102)/ 3500 250 / 1750 Diesel - Higl Manual 6-speed	75 x 84.8 h pressure turbo-charged dire 6.4	96 (130) 300 / ect injection Autom	/ 3750 1750 matic
Max power CEE kW(hp)/rpm Max torque CEE Nm/rpm Bore and stroke (mm) Fuel system Furo status For & Start system Fransmission  Gearbox Number of gears  Performance (All figures driver alone) Max speed (km/h)	141	250 / 1750  Diesel - Higl  Manual 6-speed	75 x 84.8 h pressure turbo-charged dire 6.4	300 / ect injection Autom	1750
Max torque CEE Nm/rpm Bore and stroke (mm) Fuel system Euro status Stop & Start system  Fransmission  Gearbox Number of gears  Performance (All figures driver alone) Max speed (km/h)	141	250 / 1750  Diesel - Higl  Manual 6-speed	h pressure turbo-charged dire 6.4	300 / ect injection Autom	1750
Gore and stroke (mm) Fuel system Euro status Stop & Start system  Fransmission Gearbox Number of gears  Performance (All figures driver alone) Max speed (km/h)	141	Diesel - Higl Manual 6-speed	h pressure turbo-charged dire 6.4	ect injection Autom	natic
Fuel system Euro status Stop & Start system  Fransmission  Gearbox Number of gears  Performance (All figures driver alone)  Max speed (km/h)	141	Manual 6-speed	h pressure turbo-charged dire 6.4	Autom	
Euro status Stop & Start system  Fransmission  Gearbox Number of gears  Performance (All figures driver alone)  Max speed (km/h)	141	Manual 6-speed	6.4	Autom	
Fransmission Gearbox Number of gears Performance (All figures driver alone) Max speed (km/h)	141	6-speed			
Fransmission Gearbox Number of gears Performance (All figures driver alone) Max speed (km/h)	141	6-speed	Yes		
Gearbox Number of gears Performance (All figures driver alone) Max speed (km/h)	141	6-speed			
Number of gears  Performance (All figures driver alone)  Max speed (km/h)	141	6-speed			
Performance (All figures driver alone) Max speed (km/h)	141			8-spe	ed
Max speed (km/h)	141	164			
	141	164			
CO2 Emissions at tailpipe (g/km) - WLTP Combined	141			18	
		141	145	146	149
Veights and Loads (kg)					
Gross Vehicle Weight	2040	2390	2400	2040	2390
Kerb Weight	1395	1408	1464	1395	1400
Mass in Service	1470	1483	1539	1470	1475
Max Indicative Payload	647	982	936	645	990
Max plated front axle	910	919	919	910	TBC
Max plated rear axle	558	564	620	558	TBC
Gross Train Weight	3390	3390	3430	3390	3390
owing capacity					
Braked	1350	1000	1030	1350	1000
Jnbraked	730	730	750	730	TBC
Max Towball weight	74	74	74	74	74
Capacities, litres					
Fuel tank capacity, Litres			50		
AdBlue tank capacity, Litres			17		
Fuel economy (I/ 100km)					
ow	5.5	5.7	5.8	6.2	6.3
Medium	4.9	4.9	5.1	5.2	5.4
ligh	4.6	4.6	4.8	4.8	4.9
extra High	6.2	6.2	6.4	6.2	6.3
Combined	5.4	5.4	5.5	5.6	5.7
Brakes					
rakes Front			Self-ventilated discs 283x26		

Kerb weight is calculated for a Europen base specification vehicle including oil, water, lubricants, tools, spare wheel and 90% full fuel tank. Weights may change with the addition of equipment.

Maximum indicative payload is calculated as the difference between GVW and kerb weight. However, due to manufacturing tolerences and differences in the specification of Ireland market vehicles, the mass in service figure provides a closer indication of the vehicle weight and therefore enables a more realistic payload to be calculated. An individual vehicle must be weighed to establish the exact kerb weight and payload applicable to that vehicle.

Final technical data to be verified against the certificate of conformity (CoC) for each individual vehicle.

### TECHNICAL SPECIFICATIONS - Ë-BERLINGO



Powertrain	50kWh		
	мwв	LWB	
Battery (useable capacity)	50kWh Lithium-ion		
Range, combined (City) km	330 (447)		
Torque Nm / rpm	270 / 3674		
Max power kW (hp)	100	(136)	
Charging Times			
7.4kW Single phase wallbox	7h 3	30m	
11kW Three-phase wallbox	5 h	ours	
Quick Charger - DC Current (100kW) 0 - 80%	30	)m	
Transmission			
Gearbox	Single	e gear	
Performance (All figures driver alone)			
Max speed (km/h)	135		
CO2 Emissions at tailpipe (g/km) - WLTP	0		
Electric energy consumption (kWh / 100km) (combined)	18.4	tbc	
Weights and Loads (kg)			
Gross Vehicle Weight	2450	2450	
Kerb Weight	1691	1759	
Mass in Service	1766	1834	
Max Indicative Payload	759	691	
Max plated front axle	995	tbc	
Max plated rear axle	771	tbc	
Gross Train Weight	3200	tbc	
Towing capacity			
Braked	750	tbc	
Unbraked	750	tbc	
Max Towball weight	50	50	
Electric energy consumption (kWh / 100km)			
Low	13.3	13.9	
Medium	13.6	14.2	
High	16	16.6	
	24.8	25.5	
Extra High			
Extra High Combined	18.3	19	
	18.3	19	
Combined		19 ed discs	

Kerb weight is calculated for a Europen base specification vehicle. Weights may change with the addition of equipment.

Maximum indicative payload is calculated as the difference between GVW and kerb weight. However, due to manufacturing tolerences and differences in the specification of Ireland market vehicles, the mass in service figure provides a closer indication of the vehicle weight and therefore enables a more realistic payload to be calculated. An individual vehicle must be weighed to establish the exact kerb weight and payload applicable to that vehicle.

Final technical data to be verified against the certificate of conformity (CoC) for each individual vehicle.

# Key Dimensions



Exterior Dimensions				
(mm)	MWB	LWB		
Wheelbase	2785	2975		
Overall Length	4401	4753		
Overall Height	1796	1812		
Width excluding door mirrors	18	1848		
Width including door mirrors	21	2107		
Front overhang	8	890		
Rear overhang	726	886		

Dimensions of Doors				
(mm)	MWB	LWB		
Min. width of side sliding door (with partition)	6	75		
Max. width of side sliding door (without partition)	7	59		
Max. load height of side sliding door	1072			
Max. width of rear opening	12	241 -		
Load width at floor of rear opening	12	241		
Load width at top of rear opening	1087		op of rear opening 1087	
Maximum load height of rear opening	11	96		

Interior Dimensions			
(mm)	MWB	LWB	
Load length at floor (without EXTENSO seat folded)	1817	2167	
Load length at floor (with EXTENSO seat folded)	3090	3440	
Load width between wheel arches	1229		
Max load width with 1 / with 2 sliding side door(s)	1630 / 1527		
Max load height	1200	1270	
Load volume m3 (without EXTENSO)	3.3	3.9	
Load volume m3 (with EXTENSO)	3.8	4.4	
Rear sill load height	548	571	

